

Formating syntax

DokuTeXit

9. September 2008

<http://wiki/>

Inhaltsverzeichnis

1	Formatting Syntax	5
1.1	Basic text formatting	5
1.2	Links	5
1.2.1	External	6
1.2.2	Internal	6
1.2.3	Interwiki	6
1.2.4	Windows Shares	6
1.2.5	Image Links	7
1.3	Footnotes	7
1.4	Sectioning	7
1.4.1	Headline Level 3	7
1.5	Images and other files	7
1.6	Lists	9
1.7	Smileys	9
1.8	Typography	10
1.9	Quoting	10
1.10	Tables	10
1.11	Non-parsed Blocks	11
1.12	Syntax Highlighting	12
1.13	RSS/ATOM Feed Aggregation	12
1.14	Embedding HTML and PHP	13
1.15	Control Macros	13
1.16	Syntax Plugins	13
A	DokuWiki	14
A.1	Download	14
A.2	Read More	14
A.3	Copyright	15
B	PlayGround	16

<http://wiki/>

Kapitel 1

Formatting Syntax

DokuWiki supports some simple markup language, which tries to make the datafiles to be as readable as possible. This page contains all possible syntax you may use when editing the pages. Simply have a look at the source of this page by pressing the *Edit this page* button at the top or bottom of the page. If you want to try something, just use the playground page. The simpler markup is easily accessible via quickbuttons, too.

1.1 Basic text formatting

DokuWiki supports **bold**, *italic*, underlined and monospaced texts. Of course you can combine all these.

DokuWiki supports **bold**, //italic//, __underlined__ and ''monospaced'' texts.
Of course you can **__//''combine''//__** all these.

You can use *subscript* and ^{superscript}, too.

You can use _{subscript} and ^{superscript}, too.

You can mark something as ~~deleted~~ as well.

You can mark something as deleted as well.

Paragraphs are created from blank lines. If you want to **force a newline** without a paragraph, you can use two backslashes followed by a whitespace or the end of line.

This is some text with some linebreaks

Note that the two backslashes are only recognized at the end of a line
or followed by
a whitespace \\this happens without it.

This is some text with some linebreaks\\ Note that the
two backslashes are only recognized at the end of a line\\
or followed by\\ a whitespace \\this happens without it.

You should use forced newlines only if really needed.

1.2 Links

DokuWiki supports multiple ways of creating links.

1.2.1 External

External links are recognized automagically: `http://www.google.com` or simply `www.google.com` - You can set Linknames, too: This Link points to google. Email addresses like this one: `andi@splitbrain.org` are recognized, too.

DokuWiki supports multiple ways of creating links. External links are recognized automagically: `http://www.google.com` or simply `www.google.com` - You can set Linknames, too: `[[http://www.google.com|This Link points to google]]`. Email addresses like this one: `<andi@splitbrain.org>` are recognized, too.

1.2.2 Internal

Internal links are created by using square brackets. You can either just give a `wiki:pagename` or use an additional `Title Text`. Wiki pagenames are converted to lowercase automatically, special characters are not allowed.

Internal links are created by using square brackets. You can either just give a `[[pagename]]` or use an additional `[[pagename|Title Text]]`. Wiki pagenames are converted to lowercase automatically, special chars are not allowed.

You can use namespaces by using a colon in the pagename.

You can use `[[wiki:namespaces]]` by using a colon in the pagename.

For details about namespaces see `wiki:namespaces`.

Linking to a specific section is possible, too. Just add the section name behind a hash character as known from HTML¹. This links to this Section.

This links to `[[syntax#internal|this Section]]`.

Notes:

- Links to existing pages are shown in a different style from nonexisting ones.
- DokuWiki does not use CamelCase to automatically create links by default, but this behaviour can be enabled in the `config` file. Hint: If DokuWiki is a link, then it's enabled.
- When a section's heading is changed, its bookmark changes, too. So don't rely on section linking too much.

1.2.3 Interwiki

DokuWiki supports Interwiki links. These are quick links to other Wikis. For example this is a link to Wikipedia's page about Wikis: `Wiki`.

DokuWiki supports `[[doku>wiki:interwiki|Interwiki]]` links. These are quick links to other Wikis. For example this is a link to Wikipedia's page about Wikis: `[[wp>Wiki]]`.

1.2.4 Windows Shares

Windows shares like `[[\\server\share—this]]` are recognized, too. Please note that these only make sense in a homogenous user group like a corporate Intranet.

Windows Shares like `[[\\server\share|this]]` are recognized, too.

Notes:

- For security reasons direct browsing of windows shares only works in Microsoft Internet Explorer per default (and only in the local zone").
- For Mozilla and Firefox it can be enabled through the config option `security.checkloaduri` but this is not recommended.
- See 151 for more info.

¹HyperText Markup Language

1.2.5 Image Links

You can also use an image to link to another internal or external page by combining the syntax for links and images (see below) like this:

```
[[http://www.php.net|{{wiki:dokuwiki-128.png}}]]
```



Abbildung 1.1: http://www.php.net

Please note: The image formatting is the only formatting syntax accepted in link names.

The whole image and link syntax is supported (including image resizing, internal and external images and URLs and interwiki links).

1.3 Footnotes

You can add footnotes² by using double parentheses.

You can add footnotes ((This is a footnote)) by using double parentheses.

1.4 Sectioning

You can use up to five different levels of headlines to structure your content. If you have more than three headlines, a table of contents is generated automatically this can be disabled by including the string ~~NOTOC~~ in the document.

1.4.1 Headline Level 3

Headline Level 4

Headline Level 5

```
==== Headline Level 3 ====
== Headline Level 4 ==
= Headline Level 5 =
```

By using four or more dashes, you can make a horizontal line:

1.5 Images and other files

You can include external and internal wiki:images with curly brackets. Optionally you can specify the size of them.




Real size:

²This is a footnote



Resize to given width:



Resize to given width and height:



Resized external image:

```

Real size: {{wiki:dokuwiki-128.png}}
Resize to given width: {{wiki:dokuwiki-128.png?50}}
Resize to given width and height: {{wiki:dokuwiki-128.png?200x50}}
Resized external image: {{http://de3.php.net/images/php.gif?200x50}}

```

By using left or right whitespaces you can choose the alignment.



```

{{ wiki:dokuwiki-128.png}}
{{wiki:dokuwiki-128.png }}
{{ wiki:dokuwiki-128.png }}

```

Of course, you can add a title (displayed as a tooltip by most browsers), too.



Abbildung 1.2: This is the caption

```
 {{ wiki:dokuwiki-128.png |This is the caption}}
```

If you specify a filename (external or internal) that is not an image (gif, jpeg, png), then it will be displayed as a link instead.

For linking an image to another page see Image Links above.

1.6 Lists

Dokuwiki supports ordered and unordered lists. To create a list item, indent your text by two spaces and use a * for unordered lists or a - for ordered ones.

- This is a list
- The second item
- You may have different levels
 - Another item
- 1. The same list but ordered
- 2. Another item
 - (a) Just use indentation for deeper levels
- 3. That's it

```
* This is a list
* The second item
  * You may have different levels
* Another item

- The same list but ordered
- Another item
  - Just use indentation for deeper levels
- That's it
```

1.7 Smileys

DokuWiki converts commonly used [W](#)emoticons to their graphical equivalents. More smileys can be placed in the `smiley` directory and configured in the `conf/smileys.conf` file. Here is an overview of Smileys included in DokuWiki.

- 😊 8-)
- 😋 8-O
- 😕 :-(
- 😃 :-)
- 😄 =)
- 😊 :-/
- 😕 :-\
- 😊 :-?
- 😃 :-D
- 😃 :-P
- 😊 :-O
- 😊 :-X

- 😊 :—
- 😊 ;)
- 😊 ^_^
- 🤔 :?:
- 💡 :!!
- 🤣 LOL
- 🚧 Fix Me! FIXME
- 🗑 Delete! DELETEME

1.8 Typography

DokuWiki can convert simple text characters to their typographically correct entities. Here is an example of recognized characters.

→ ← ↔ ⇒ ⇐ ⇔ » « 640x480 © ™ ® "He thought 'It's a man's world'..."

-> <- <-> => <= <=> >> << -- --- 640x480 (c) (tm) (r)
"He thought 'It's a man's world'..."

Please note: These conversions can be turned off through a config option and a pattern file.

1.9 Quoting

Some times you want to mark some text to show it's a reply or comment. You can use the following syntax:

I think we should do it

> No we shouldn't

>> Well, I say we should

> Really?

>> Yes!

>>> Then lets do it!

I think we should do it

| No we shouldn't

|| Well, I say we should

| Really?

|| Yes!

||| Then lets do it!

1.10 Tables

DokuWiki supports a simple syntax to create tables.

Heading 1	Heading 2	Heading 3
Row 1 Col 1	Row 1 Col 2	Row 1 Col 3
Row 2 Col 1	some colspan (note the double pipe)	
Row 3 Col 1	Row 2 Col 2	Row 2 Col 3

Table rows have to start and end with a | for normal rows or a ^ for headers.

```
^ Heading 1      ^ Heading 2      ^ Heading 3      ^
| Row 1 Col 1  | Row 1 Col 2  | Row 1 Col 3  |
| Row 2 Col 1  | some colspan (note the double pipe) ||
| Row 3 Col 1  | Row 2 Col 2  | Row 2 Col 3  |
```

To connect cells horizontally, just make the next cell completely empty as shown above. Be sure to have always the same amount of cell separators!

Vertical tableheaders are possible, too.

	Heading 1	Heading 2
Heading 3	Row 1 Col 2	Row 1 Col 3
Heading 4	no colspan this time	
Heading 5	Row 2 Col 2	Row 2 Col 3

As you can see, it's the cell separator before a cell which decides about the formatting:

```
|           ^ Heading 1      ^ Heading 2      ^
^ Heading 3 | Row 1 Col 2  | Row 1 Col 3  |
^ Heading 4 | no colspan this time |
^ Heading 5 | Row 2 Col 2  | Row 2 Col 3  |
```

Note: Vertical spans (rowspan) are not possible.

You can align the table contents, too. Just add at least two whitespaces at the opposite end of your text: Add two spaces on the left to align right, two spaces on the right to align left and two spaces at least at both ends for centered text.

Table with alignment		
right	center	left
left	right	center
xxxxxxxxxxxx	xxxxxxxxxxxx	xxxxxxxxxxxx

This is how it looks in the source:

```
^           Table with alignment      ^^^
|   right|   center   |left      |
|left    |           right|   center   |
| xxxxxxxxx | xxxxxxxxx | xxxxxxxxx |
```

1.11 Non-parsed Blocks

You can include non-parsed blocks into your documents by either indenting them by at least two spaces (like used for the previous examples) or by using the tags code or file.

This is preformatted code all spaces are preserved: like <-this

This is pretty much the same, but you could use it to show that you quoted a file.

To let the parser ignore an area completely (ie. do no formatting on it), enclose the area either with nowiki tags or even simpler, with double percent signs %%.

This is some text which contains addresses like this: <http://www.splitbrain.org> and **formatting**, but nothing is done with it.

See the source of this page to see how to use these blocks.

1.12 Syntax Highlighting

DokuWiki can highlight sourcecode, which makes it easier to read. It uses the GeSHi Generic Syntax Highlighter so any language supported by GeSHi is supported. The syntax is the same like in the code block in the previous section, but this time the name of the used language is inserted inside the tag. Eg. <code java>.

```

1 /**
2  * The HelloWorldApp class implements an application that
3  * simply displays "Hello World!" to the standard output.
4 */
5 class HelloWorldApp {
6     public static void main(String[] args) {
7         System.out.println("Hello World!"); //Display the string.
8     }
9 }
```

The following language strings are currently recognized: *abap actionscript-french, actionscript, ada, apache, applescript, asm, asp, autoit, bash, basic4gl, blitzbasic, bnf, caddcl, cadlisp, cfdg, cfm, c_mac, c, cpp, cpp-qt, csharp, css, delphi, diff, div, dos, dot, d, eiffel, fortran, freebasic, genero, gml, groovy, haskell, html, idl, ini, inno, io, java5, java, javascript, latex, lisp, lua, m68k, matlab, mirc, mpasm, mysql, nsis, objc, ocaml-brief, ocaml, oobas, oracle8, pascal, perl, per, php-brief, php, plsql, python, qbasic, rails, reg, robots, ruby, sas, scheme, sdlbasic, smalltalk, smarty, sql, tcl, text, thinbasic, tsql, vbnet, vb, vhdl, visualfoxpro, winbatch, xml, xpp, z80*

1.13 RSS/ATOM Feed Aggregation

DokuWiki can integrate data from external XML³ feeds. For parsing the XML³ feeds, SimplePie is used. All formats understood by SimplePie can be used in DokuWiki as well. You can influence the rendering by multiple additional space separated parameters:

Parameter	Description
any number	will be used as maximum number items to show, defaults to 8
reverse	display the last items in the feed first
author	show item authors names
date	show item dates
description	show the item description. If HTML is disabled all tags will be stripped
n[dhm]	refresh period, where d=days, h=hours, m=minutes. (e.g. 12h = 12 hours).

The refresh period defaults to 4 hours. Any value below 10 minutes will be treated as 10 minutes. DokuWiki will generally try to supply a cached version of a page, obviously this is inappropriate when the page contains dynamic external content. The parameter tells DokuWiki to re-render the page if it is more than *refresh period* since the page was last rendered.

Example:

```
{rss>http://slashdot.org/index.rss 5 author date 1h }
```

- High Cost of Converting UK To High-Speed Broadband von kdawson (%2008/%09/%09 %11:%Sep)
- Google To Digitize Millions of Old Newspaper Pages von kdawson (%2008/%09/%09 %08:%Sep)
- McAfee Artemis Claims Protection Online, On-the-Fly von houbou (posted by kdawson) (%2008/%09/%09 %05:%Sep)
- Speculation On Large-Scale Phone Location Snooping von kdawson (%2008/%09/%09 %03:%Sep)
- Hacking Esquire's E-ink Cover von kdawson (%2008/%09/%09 %01:%Sep)

³Extensible Markup Language

1.14 Embedding HTML and PHP

You can embed raw HTML¹ or PHP⁴ code into your documents by using the `html` or `php` tags like this:

```
<html>
This is some <span style="color:red;font-size:150%;">inline HTML</span>
</html>
<HTML>
<p style="border:2px dashed red;">And this is some block HTML</p>
</HTML>
```

```
1 <html>
2
3 This is some <span style="color:red;font-size:150%;">inline HTML</span>
4
5 </html>
```

```
<php>
echo 'A logo generated by PHP:';
echo '';
echo '(generated inline HTML)';
</php>
<PHP>
echo '<table class="inline"><tr><td>The same, but inside a block level element:</td>';
echo '<td>';
echo '</td>';
echo '</tr></table>';
</PHP>
```

```
1 <php>
2
3 echo 'A logo generated by PHP:';
4 echo '';
5 echo '(inline HTML)';
6
7 </php>
```

Please Note: HTML¹ and PHP⁴ embedding is disabled by default in the configuration. If disabled, the code is displayed instead of executed.

1.15 Control Macros

Some syntax influences how DokuWiki renders a page without creating any output it self. The following control macros are available:

Macro	Description
<code>~~NOTOC~~</code>	If this macro is found on the page, no table of contents will be created
<code>~~NOCACHE~~</code>	DokuWiki caches all output by default. Sometimes this might not be wanted (eg. when the <code><php></code> syntax above is used), adding this macro will force DokuWiki to rerender a page on every call

1.16 Syntax Plugins

DokuWiki's syntax can be extended by  Plugins. How the installed plugins are used is described on their appropriate description pages. The following syntax plugins are available in this particular DokuWiki installation:

⁴Hypertext Preprocessor

Anhang A

DokuWiki



Abbildung A.1: <http://wiki.splitbrain.org/wiki:dokuwiki>

DokuWiki is a standards compliant, simple to use Wiki, mainly aimed at creating documentation of any kind. It is targeted at developer teams, workgroups and small companies. It has a simple but powerful syntax which makes sure the datafiles remain readable outside the Wiki and eases the creation of structured texts. All data is stored in plain text files no database is required.

Read the DokuWiki Manual to unleash the full power of DokuWiki.

A.1 Download

DokuWiki is available at <http://www.splitbrain.org/go/dokuwiki>

A.2 Read More

All documentation and additional information besides the syntax description is maintained in the DokuWiki at wiki.splitbrain.org.

About DokuWiki

- A feature list
- Happy Users
- Who wrote about it
- What Bloggers think
- Compare it with other wiki software

Installing DokuWiki

- System Requirements
- Download DokuWiki

- Change Log
- How to install or upgrade
- Configuration

Using DokuWiki

- Wiki Syntax
- The manual
- Frequently Asked Questions (FAQ)
- Glossary
- Search for DokuWiki help and documentation

Customizing DokuWiki

- Tips and Tricks
- How to create and use templates
- Installing plugins
- Development Resources

DokuWiki Feedback and Community

- Join the mailing list
- Check out the user forum
- Talk to other users in the IRC channel
- Submit bugs and feature wishes
- Share your experiences in the WikiMatrix forum
- Some humble thanks

A.3 Copyright

2004-2008 © Andreas Gohr andi@splitbrain.org¹

The DokuWiki engine is licensed under GNU General Public License Version 2. If you use DokuWiki in your company, consider donating a few bucks .

The content published in the DokuWiki at <http://www.splitbrain.org/dokumwiki/> is licensed under the Creative Commons Attribution Version 2.0.

An exception is made for the content which distributed in the download tarball² which is, for compatibility reasons, licensed under the GNU General Public License Version 2 as well.

Not sure what this means? See the FAQ on the Licenses.

¹Please do not contact me for help and support use the mailinglist or forum instead

²files inside the data directory eg: dokumwiki.txt, syntax.txt, dokumwiki-128.png

Anhang B

PlayGround

http://wiki/